	line 28,	after "mutations" insert –(SEQ ID NOS: 36-37)--.
Page 11,	line 32,	after "strand" insert –(SEQ ID NOS: 23-30)--;
	line 36,	after "mutants" insert –(SEQ ID NOS: 31-35)--.
Page 12,	line 2,	after "mutations" insert –(SEQ ID NOS: 38-39)--.
Page 16,	line 1,	after "birch)", insert –(SEQ ID NOS: 36-37)--;
	line 18,	after " v 1" insert –(SEQ ID NOS: 36-37)--;
	line 29,	after "5" insert –(SEQ ID NOS: 38-39)--.
Page 22,	line 36,	after "v 1" insert --(SEQ ID NO: 37)--.
Page 23,	line 7,	after "v 1" insert --(SEQ ID NO: 37)--;
	line 11,	after "v 1" insert --(SEQ ID NO: 37)--;
	line 14,	after "v 1" insert --(SEQ ID NO: 37)--;
	line 24,	after "v 1" insert --(SEQ ID NO: 37)--;
	line 26,	after "v l" insert --(SEQ ID NO: 37)--;
	line 29,	after "v 1" insert --(SEQ ID NO: 37)--;
	line 35,	after "v 1" insert --(SEQ ID NO: 37)--.
Page 24,	line 8,	after "v 1" insert --(SEQ ID NO: 37)--;

line 26,   after "Allergens" insert --(SEQ ID NOS: 36-37)--;

line 36,   after "2801" insert --(SEQ ID NOS: 36-37)--.

Page 25,   line 3,   after "v 1" insert --(SEQ ID NO: 36)--;

           line 10,   after "v 1" insert --(SEQ ID NO: 36)--;

           line 14,   after "v 1" insert --(SEQ ID NO: 37)--;

           line 21,   after "v 1" insert --(SEQ ID NO: 36)--;

           line 26,   after "v 1" insert --(SEQ ID NO: 37)--;

           line 28,   after "v 1" insert --(SEQ ID NO: 37)--;

           line 30,   after "v 1" insert --(SEQ ID NO: 36)--.

Page 26,   line 1,   after "v 1" insert --(SEQ ID NO: 36)--;

           line 7,   after "v 1" insert --(SEQ ID NO: 36)--;

           line 8,   after "v 1" insert --(SEQ ID NO: 36)--;

           line 13,   after "strand" insert --SEQ ID NO: 1-22)--;

           line 17,   after "v 1" insert --(SEQ ID NO: 36)--;

           line 19,   after "sense"" insert –(SEQ ID NO: 5)--;

           line 20,   after "sense"" insert –(SEQ ID NO: 22)--;

           line 24,   after "v 1" insert --(SEQ ID NO: 36)--;

           line 33,   after "v 1" insert --(SEQ ID NO: 36)--.

Page 27,   line 4,   after "process" insert --(SEQ ID NO: 37)--;

line 8,   after "respectively" insert --(SEQ ID NO: 37)--;

line 19,   after "v 1" insert --(SEQ ID NO: 36)--;

line 23,   after "follows" insert --(SEQ ID NOS: 36-37)--;

line 27,   after "Pro108Gly" insert --(SEQ ID NO: 37)--;

line 29,   after "Pro108Gly" insert --(SEQ ID NO: 37)--;

line 32,   after "Pro108Gly" insert --(SEQ ID NO: 37)--.

Page 28,   line 1,   after "gene" insert --(SEQ ID NO: 36)--;

line 13,   after "mutants" insert --(SEQ ID NO: 37)--;

line 25,   after "v 1" insert --(SEQ ID NO: 37)--;

line 30,   after "v 1" insert --(SEQ ID NO: 37)--;

line 32,   after "v 1" insert --(SEQ ID NO: 37)--;

line 36,   after "v 1" insert --(SEQ ID NO: 37)--.

Page 29,   line 9,   after "2801" insert --(SEQ ID NO: 37)--;

line 10,   after "v 1" insert --(SEQ ID NO: 37)--;

line 15,   after "protein" insert --(SEQ ID NO: 37)--;

line 17,   after "v 1" insert --(SEQ ID NO: 37)--;

line 26,   after "v 1" insert --(SEQ ID NO: 37)--;

line 27,   after "v 1" insert --(SEQ ID NO: 37)--;

line 32,   after "analysis" insert --(SEQ ID NO: 37)--;

line 34,   after "mutant" insert --(SEQ ID NO: 37)--.

Page 30,   line 4,   after "v 1" insert --(SEQ ID NO: 37)--;

             line 10,   after "molecule" insert --(SEQ ID NO: 37)--;

             line 13,   after "mutant" insert --(SEQ ID NO: 37)--;

             line 17,   after "mutant" insert --(SEQ ID NO: 37)--;

             line 23,   after "v 1" insert --(SEQ ID NO: 37)--;

             line 25,   after "v 1" insert --(SEQ ID NO: 37)--;

             line 27,   after "v 1" insert --(SEQ ID NO: 37)--;

             line 35,   after "v 1" insert --(SEQ ID NO: 37)--.

Page 31,   line 6,   after "mutant" insert --(SEQ ID NO: 37)--;

             line 9,   after "protein" insert --(SEQ ID NO: 37)--;

             line 13,   after "Glu45Ser" insert --(SEQ ID NO: 37)--;

             line 17,   after "mutant" insert --(SEQ ID NO: 37)--;

             line 19,   after "mutant" insert --(SEQ ID NO: 37)--;

             line 24,   after "2801" insert --(SEQ ID NO: 37)--;

             line 29,   after "2801" insert --(SEQ ID NO: 37)--;

             line 30,   after "2801" insert --(SEQ ID NO: 37)--.

Page 32,   line 2,   after "v 1" insert --(SEQ ID NO: 37)--;

             line 4,   after "mutant" insert --(SEQ ID NO: 37)--;

             line 9,   after "v 1" insert --(SEQ ID NO: 37)--;

             line 11,   after "mutant" insert --(SEQ ID NO: 37)--;

line 12,   after "mutant" insert --(SEQ ID NO: 37)--;

line 15,   after "mutant" insert --(SEQ ID NO: 37)--;

line 16,   after "v1" insert --(SEQ ID NO: 37)--;

line 17,   after "substitution" insert --(SEQ ID NO: 37)--;

line 19,   after "mutant" insert --(SEQ ID NO: 37)--;

line 21,   after "Asn28Thr+Lys32Gln" insert –(SEQ ID NO: 37)--.;

Page 33,   line 3,   after "molecule" insert --(SEQ ID NO: 37)--;

line 6,   after "Asn28Thr+Lys32Gln" insert –(SEQ ID NO: 37)--;

line 8,   after "Asn28Thr+Lys32Gln" insert –(SEQ ID NO: 37)--;

line 14,   after "Bet v1" insert –(SEQ ID NO: 37)--;

line 16,   after "Asn28Thr+Lys32Gln" insert –(SEQ ID NO: 37)--;

line 23,   after "Asn28Thr+Lys32Gln" insert --SEQ ID NO: 37)--;

line 25,   after "Asn28Thr+Lys32Gln" insert --(SEQ ID NO: 37)--;

line 29,   after "mutant" insert --(SEQ ID NO: 37)--;

-6-

line 33,   after "Asn28Thr+Lys32Gln" insert --(SEQ ID NO: 37)--;

line 35,   after "Pro108Gly" insert --(SEQ ID NO: 37)--.

Page 34,   line 11,   after "molecule" insert --(SEQ ID NO: 37)--;

line 13,   after "mutant" insert --(SEQ ID NO: 37)--;

line 15,   after "mutant" insert --(SEQ ID NO: 37)--;

line 16,   after "v 1" insert --(SEQ ID NO: 37)--;

line 21,   after "v 1" insert --(SEQ ID NO: 37)--;

line 22,   after "v 1" insert --(SEQ ID NO: 37)--;

line 23,   after "mutant" insert --(SEQ ID NO: 37)--;

line 31,   after "Pro108Gly" insert --(SEQ ID NO: 37)--;

line 35,   after "mutant" insert --(SEQ ID NO: 37)--;

line 36,   after "v 1" insert --(SEQ ID NO: 37)--.

Page 35,   line 3,   after "mutant" insert --(SEQ ID NO: 37)--;

line 5,   after "mutant" insert --(SEQ ID NO: 37)--;

line 17,   after "molecule" insert --(SEQ ID NO: 37)--;

line 19,   after "mutant" insert --(SEQ ID NO: 37)--;

line 21,   after "mutant" insert --(SEQ ID NO: 37)--;

line 27,   after "v 1" insert --(SEQ ID NO: 37)--;

line 28,   after "v 1" insert --(SEQ ID NO: 37)--;

-7-

line 29,   after "mutant" insert --(SEQ ID NO: 37)--;

line 30,   after "mutants" insert --(SEQ ID NO: 37)--.

Page 36,   line 3,   after "mutant" insert --(SEQ ID NO: 37)--;

line 11,   after "mutant" insert --(SEQ ID NO: 37)--;

line 16,   after "mutant" insert --(SEQ ID NO: 37)--;

line 24,   after "mutant" insert --(SEQ ID NO: 37)--;

line 26,   after "mutant" insert --(SEQ ID NO: 37)--;

line 27,   after "v 1" insert --(SEQ ID NO: 37)--;

line 32,   after "v 1" insert --(SEQ ID NO: 37)--;

line 33,   after "v1" insert --(SEQ ID NO: 37)--;

line 34,   after "mutant" insert --(SEQ ID NO: 37)--;

line 36,   after "mutant" insert --(SEQ ID NO: 37)--;

Page 37,   line 2,   after "mutant" insert --(SEQ ID NO: 37)--;

line 5,   after "mutant" insert --(SEQ ID NO: 37)--;

line 8,   after "v 1" insert --(SEQ ID NO: 37)--;

line 10,   after "mutant" insert --(SEQ ID NO: 37)--;

line 16,   after "mutant" insert --(SEQ ID NO: 37)--;

line 19,   after "mutant" insert --(SEQ ID NO: 37)--;

line 23,   after "mutant" insert --(SEQ ID NO: 37)--;

line 30,   after "5" insert --(SEQ ID NOS: 38-39)--;

line 36,   after "v5" insert --(SEQ ID NO: 39)--.

Page 38,   line 4,   after "5" insert --(SEQ ID NO: 39)--;

              line 19,   after "5" insert --(SEQ ID NO: 39)--;

              line 23,   after "5" insert --(SEQ ID NO: 39)--.

Page 39,   line 9,   after "5" insert --(SEQ ID NO: 38)--;

              line 16,   after "5" insert --(SEQ ID NO: 38)--;

              line 21,   after "5" insert --(SEQ ID NO: 38)--;

              line 23,   after "pastoris" insert --(SEQ ID NO: 39)--;

              line 30,   after "5" insert --(SEQ ID NO: 38)--;

              line 32,   after "protein" insert --(SEQ ID NO: 39)--.

Page 40,   line 2,   after "protein" insert --(SEQ ID NO: 39)--;   NE

              line 3,   after "terminus" insert --(SEQ ID NO: 39)--;

              line 7,   after "gene" insert --(SEQ ID NO: 38)--;

              line 17,   after "gene" insert --(SEQ ID NO: 38)--;

              line 22,   after "12" insert --(SEQ ID NOS: 23-35 and 40)--;

              line 26,   after "gene" insert --(SEQ ID NO: 38)--;

              line 29,   after "sense"" insert --(SEQ ID NO: 40)--;

              line 30,   after "sense"" insert --(SEQ ID NO: 35)--;

              line 32,   after "mutant" insert --(SEQ ID NO: 39)--;

line 35,   after "genes" insert --(SEQ ID NO: 38)--.

Page 41,   line 2,   after "5" insert --(SEQ ID NO: 39)--;

line 4,   after "gene" insert --(SEQ ID NO: 38)--;

line 6,   after "5" insert --(SEQ ID NO: 39)--;

line 8,   after "11" insert --(SEQ ID NOS: 23-30)--;

line 14,   after "5" insert --(SEQ ID NO: 38)--;

line 28,   after "mutations" insert --(SEQ ID NOS: 38-39)--;

line 32,   after "genes" insert --(SEQ ID NO: 38)--.

Page 42,   line 6,   after "gene" insert --(SEQ ID NO: 38)--;

line 15,   after "5" insert --(SEQ ID NO: 39)--;

line 36,   after "5" insert --(SEQ ID NO: 39)--.

Page 43,   line 2,   after "5" insert --(SEQ ID NO: 39)--;

line 4,   after "5" insert --(SEQ ID NO: 39)--;

line 11,   after "crystals" insert --(SEQ ID NO: 39)--;

line 13,   after "5" insert --(SEQ ID NO: 39)--;

line 19,   after "proteins" insert --(SEQ ID NO: 39)--;

line 23,   after "5" insert --(SEQ ID NO: 39)--;

line 29,   after "mutants" insert --(SEQ ID NO: 39)--;

line 30,   after "5" insert --(SEQ ID NO: 39)--;

line 35,   after "5" insert --(SEQ ID NO: 39)--;

line 36,   after "1" insert --(SEQ ID NO: 37)--.

Page 44,   line 15,   after "mutant" insert --(SEQ ID NO: 39)--;

line 17,   after "mutant" insert --(SEQ ID NO: 39)--;

line 23,   after "5" insert --(SEQ ID NO: 39)--;

line 24,   after "5" insert --(SEQ ID NO: 39)--;

line 25,   after "mutant" insert --(SEQ ID NO: 39)--;

line 30,   after "5" insert --(SEQ ID NO: 39)--;

line 32,   after "mutant" insert --(SEQ ID NO: 39)--;

line 33,   after "mutant" insert --(SEQ ID NO: 39)--;

line 36,   after "mutant" insert --(SEQ ID NO: 39)--.

Page 45,   line 1,   after "5" insert --(SEQ ID NO: 39)--;

line 4,   after "mutant" insert --(SEQ ID NO: 39)--;

line 6,   after "mutant" insert --(SEQ ID NO: 39)--;

line 10,   after "5" insert --(SEQ ID NO: 39)--;

line 17,   after "molecule" insert --(SEQ ID NO: 39)--;

line 19,   after "mutant" insert --(SEQ ID NO: 39)--;

line 21,   after "mutant" insert --(SEQ ID NO: 39)--;

line 27,   after "5" insert --(SEQ ID NO: 39)--;

line 28,   after "5" insert --(SEQ ID NO: 39)--;

-11-